



1401 St. Charles Road
Maywood, IL 60153

PRSR STD
U.S. POSTAGE
PAID
Permit #225
PALATINE, IL



JANUARY VALUES FROM



Pricing good through 1/30/09 or while supplies last.

STOCK LUMBER ITEMS

| | | | | | | |
|---|-----|-----|-----|-----|------|---------------|
| White Ash | 4/4 | | | 8/4 | | |
| White Pine <i>Northern Knotty and Clear</i> | 4/4 | 5/4 | 6/4 | 8/4 | | |
| Poplar | 4/4 | 5/4 | 6/4 | 8/4 | 10/4 | 12/4 |
| Hickory <i>Calico, Brown and White</i> | 4/4 | | | | | |
| Red Oak <i>Rift and Quarter Sawn</i> | 4/4 | 5/4 | 6/4 | 8/4 | | |
| Hard White Maple <i>1 & 2 White, #1 common and Unselected Natural</i> | 4/4 | 5/4 | 6/4 | 8/4 | | 12/4 |
| American Walnut | 4/4 | 5/4 | 6/4 | 8/4 | | |
| Mahogany | 4/4 | 5/4 | 6/4 | 8/4 | 10/4 | 12/4 |
| Khaya and Sapele | | | | | | |
| American Cherry | 4/4 | 5/4 | 6/4 | 8/4 | | |
| White Paper Birch | 4/4 | | | | | |
| Yellow Birch | 4/4 | | | | | |
| White Oak <i>Rift and Quarter Sawn</i> | 4/4 | | | 8/4 | | |
| Soft White Maple | 4/4 | | | 8/4 | | |
| Western Red Alder <i>Rustic Grade and Superior Clear</i> | 4/4 | 5/4 | 6/4 | 8/4 | | SFI Certified |

FSC Certified Lumber also Available

Machining Capabilities

- Surfacing*
- Straight Line Ripping*
- Ripped 2 edge*

Softwood Dimensional Stock - 1 x 4, 2 x 4 Economy and #2 and Better

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**

PLUM CREEK ULTRA-CORE MDO IN STOCK

| CODE | ITEM | PCS | LESS UNIT | 1 UNIT + |
|-----------|--------------------------------------|-----|------------|------------|
| 11 12 540 | 3/8" 4 x 8 MDO 1 side Primed 1 side | 80 | \$35.50 ea | \$32.00 ea |
| 11 12 740 | 3/8" 4 x 10 MDO 1 side Primed 1 side | 80 | \$51.50 | \$48.00 |
| 11 14 540 | 1/2" 4 x 8 MDO 1 side Primed 1 side | 60 | \$42.15 | \$39.50 |
| 11 14 740 | 1/2" 4 x 10 MDO 1 side Primed 1 side | 60 | \$61.35 | \$57.50 |
| 11 14 546 | 1/2" 4 x 8 MDO 1 side | 60 | \$38.30 | \$36.40 |
| 11 14 715 | 1/2" 4 x 10 MDO 1 side | 60 | \$54.65 | \$51.00 |
| 11 14 548 | 1/2" 4 x 8 MDO 2 sides | 60 | \$41.00 | \$38.70 |
| 11 22 546 | 3/4" 4 x 8 MDO 1 side | 40 | \$48.50 | \$45.25 |
| 11 22 715 | 3/4" 4 x 10 MDO 1 side | 40 | \$70.25 | \$65.55 |
| 11 22 548 | 3/4" 4 x 8 MDO 2 sides | 40 | \$52.30 | \$48.80 |

All 1 sided items with a Balancing "Brown Paper Backer"

Unique Product: Ultra-Core MDO.

Plum Creek plywood is constructed from prime inland Group 1 western softwood veneers known for their tight grain and small knots. Furthermore, Plum Creek's Ultra-Core technology creates continuous, composed crossband veneers for virtually "gap-and-lap-free" cores.

Plum Creek's Ultra-Core MDO is the result of pre-composed crossband cores and an automated lay up process that together minimize core gaps and provide consistently high levels of core integrity. Merchantability, weatherability, durability and thickness tolerance are all enhanced compared to conventional MDO cores.

Plum Creek Ultra-Core MDO gives you what you're looking for:

- Inland western softwood species, featuring tighter grain for higher strength and weatherability.
- Ultra-Core construction means fewer and smaller gaps for increased strength, durability and minimal core telegraphing.
- 2-step overlay process means smoother, more consistent faces.
- Dedicated MDO press allows controlled production runs for greater quality and consistency.

Paint/Lamination/Cut-up Applications

- Ultra-Core construction reduces core voids and gaps to minimize waste in cut parts and increase weatherability and durability.
- 2-step face construction and dedicated press assure consistently high levels of face smoothness for paint and lamination.

* Pricing based on buying full units or all quantities available. Subject to availability

Pricing good through January 30, 2009 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**



PLYWOOD

WE KEEP ADDING TO OUR SELECTION OF PRE-FINISHED PRODUCTS NOW STOCKING

| CODE | ITEM | 1-10 PCS | 11 + PCS |
|-----------|---|--------------|--------------|
| 09 08 234 | 1/4" 4 x 8 P/S Cherry B/4 VC UV 1 Side | \$ 49.15 ea. | \$ 46.70 ea. |
| 09 22 234 | 3/4" 4 x 8 P/S Cherry B/1 VC P/S Cherry Back **NO SAP** UV 2 Sides | \$ 101.50 | \$ 96.25 |
| 09 08 236 | 1/4" 4 x 8 P/S Khaya B/4 VC UV 1 Side | \$ 47.50 | \$ 45.10 |
| 09 22 236 | 3/4" 4 x 8 P/S Khaya B/1 VC P/S Khaya Back UV 2 Sides | \$ 96.90 | \$ 90.45 |
| 06 22 238 | 3/4" 4 x 8 R/C White Maple B/2 VC R/C White Maple Back UV 2 Sides | \$ 91.25 | \$ 85.25 |
| 06 22 232 | 3/4" 4 x 8 R/C White Birch "A" WPF VC "C" White Maple UV Back | \$ 74.00 | \$ 69.10 |
| 06 22 230 | 3/4" 4 x 8 P/S White Maple "A" VC "C" White Maple UV Back | \$ 96.15 | \$ 89.75 |
| 06 22 235 | 3/4" 4 x 10 R/C White Maple C/2 VC R/C Natural Back UV 2 Sides | \$ 120.20 | \$ 112.20 |
| 06 22 236 | 3/4" 4 x 10 P/S White Maple "A" VC "C" White Maple UV Back | \$ 156.00 | \$ 145.60 |
| 09 22 230 | 3/4" 4 x 8 P/S Cherry "A" VC "C" White Maple UV Back | \$ 98.40 | \$ 91.85 |
| 09 22 235 | 3/4" 4 x 10 P/S Cherry AC VC "C" White Maple UV Back | \$ 154.95 | \$ 144.65 |
| 09 22 232 | 3/4" 4 x 8 P/S Alder "A" VC "C" White Maple UV Back | \$ 104.60 | \$ 97.10 |

Pricing good through January 30, 2009 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**



FIBREX® | thin high density fiberboard

passion
for panels®

THE VERSATILE PERFORMER THAT'S MADE TO LAST

When it comes to versatility and performance, FIBREX® high density thin fiberboard from Flakeboard offers the best of both worlds. Utilizing continuous press technology, we're able to offer one of the widest selections of quality sizes and finishes you'll find anywhere.

- A broad range of thicknesses (1/16" to 1/4")
- A selection of widths (46" to 64") and lengths (72" to 145")
- Hundreds of finishes, including paint, decorative paper, TFM (thermally fused melamine) and direct print
- Specialty options such as cut-to-size and pegging
- Also available, high density and FIBREX® FR* (fire rated)



*Flakeboard FIBREX® FR fire rating is applicable to fire rated doors where FIBREX® FR is used in conjunction with GP fire retardant mineral core. FIBREX® FR is certified by Warnock Hersey to pass a 90 minute fire test. Flakeboard is the only company which is currently certified as a cross band for fire rated doors in North America.

| Property | Thickness' | FIBREX® Average Values | Minimum Specifications | FIBREX® Plus Average Values |
|--|----------------|------------------------|------------------------|-----------------------------|
| Density | 3/32" to 7/64" | 54 lb/ft3 | > 49 lb/ft3 | 61.8 lb/ft3 |
| | 1/8" to 5/32" | 54 lb/ft3 | > 49 lb/ft3 | |
| | 11/64" to 1/4" | 56 lb/ft3 | > 51 lb/ft3 | |
| IB (psi) | 3/32" to 7/64" | 130 | > 90 | 370 |
| | 1/8" to 5/32" | 135 | > 100 | |
| | 11/64" to 1/4" | 160 | > 110 | |
| MOR (psi) | 3/32" to 7/64" | 5600 | > 4500 | 8500 |
| | 1/8" to 5/32" | 5800 | > 4800 | |
| | 11/64" to 1/4" | 5800 | > 4900 | |
| Moisture ¹ | all | 5% to 7% | 4% to 9% | 5% to 7% |
| Thickness Tolerance (Raw) (in) | all | +/- 0.008 | +/- 0.008 | +/- 0.008 |
| Thickness Tolerance (Sanded) (in) | all | +/- 0.004 | +/- 0.004 | +/- 0.004 |
| Length Tolerance (in) | all | +/- 1/8 | +/- 1/8 | +/- 1/16 |
| Width Tolerance (in) | all | +/- 1/16 | +/- 1/16 | +/- 1/16 |
| Squareness (in) | all | +/- 5/32 | +/- 5/32 | < 1/8 |
| | | Units | Typical | Spec |
| (Standard) Formaldehyde Emissions ² | all | ppm | 0.15 | ≤ 0.21 |
| (EPP) Formaldehyde Emissions ³ | all | ppm | 0.13 | < 0.2 |
| (E1) Formaldehyde Emissions ^{4,5} | all | mg/100g | 6.5 | < 8 |
| Linear Expansion | all | % | 0.25 | < 0.3 |

* Metric values available. The above physical properties are based on averages of normal production at time of shipment. Non-specified physical properties may be available upon request. Note that Thickness' are quoted in the raw state (unsanded).

¹ Dry basis at 65% RH, 20 deg. C (ASTM D1037-99 section 6). The moisture of the panel will change with ambient conditions.

² Standard Product

³ Environmentally Preferable Product Certified

⁴ E1 Certified Products. Products certified through third party supervisory certification.

⁵ According to EN120, and EN322

- Complies with CPA EPPS 3-08 and CCR 93120.2(a) (CARB Composite Wood ATCM Phase 1 Formaldehyde Emission Limits)
- Material Safety Data Sheets are available upon request
- All panels are approved for use in interior, non-structural applications
- Contains 100% Recycled/Recovered Wood Content
- Conforms to formaldehyde emission requirements for MDF in ANSI A208.2



FIBREX® | thin high density fiberboard

www.flakeboard.com 1.800.268.9830



VESTA FR | fire-rated no added urea-formaldehyde resin particleboard



THE PARTICLEBOARD SOLUTION OF CHOICE FOR FIRE SAFETY NEEDS

VESTA FR particleboard is the no added urea-formaldehyde resin option for building code and project specifications that require fire safety compliance. VESTA FR is a UL approved, Class A / Class fire-rated panel that is ideal for interior, non-structural use in restaurants, schools, hotels, malls, airports, offices and public buildings.

VESTA FR offers:

- Superior strength and dimensional stability
- Low linear expansion and thickness swell
- Smooth surface properties for laminating and finishing
- Easy machining and low tool wear
- Wide range of products and sizes

LEED Qualifying Credits:

- MR 4.1 Recycled Content 10%
- MR 4.2 Recycled Content 20%
- MR 5.1 Regional Materials 10%
- MR 5.2 Regional Materials 20%
- IEQ 4.4 Low-emitting Materials

FIRE RATED THERMOFUSED MELAMINE

Thermofused melamine laminated to Duraflake® FR particleboard is UL® approved Class A/Class 1-rated fire retardant particleboard for commercial and institutional cabinets, paneling and casework when required by fire safety codes and architectural specifications.

- 1/2" 4 x 8 White (2) side FR-PB
- 3/4" 4 x 8 White (2) side FR-PB
- 3/4" 4 x 8 Black (2) side FR-PB



APPLICATIONS

- | | |
|--|--|
| <ul style="list-style-type: none"> • Agricultural Box Ends • Interior Signage • Toys, Games, and Sporting Goods • Elevator Cabs • Passenger Boarding Bridges • Architectural Woodwork • Wainscoting • Display Panels | <ul style="list-style-type: none"> • Door Components • Furniture • Fixtures • Commercial Case Goods • Shelving • Cabinets • Countertops |
|--|--|

D.R.I.V.E.™ *Dedication • Resource • Inventory • Value-added • Experience*

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**

SUSTAINABLE DESIGN FIBERBOARD

When commercial interiors demand environmental performance

THIRD PARTY CERTIFIED ATTRIBUTES:

- LEED® credits supported
 - M&R 4.1, 4.2, 5.1, 5.2, 7
 - EQ 4.4
- No added formaldehyde
- 100% recycled wood fiber
- FSC certified available
- CARB ATCM 93120 phase 2

OPTIONS:

- Class 1 certified flame retardant
- Moisture resistant
- Post-consumer recycled content

arreis™
medite® II
medex®
medite FR

WALL & ELEVATOR PANELS | CASEWORK | MILLWORK & MOULDING | FURNITURE | SHELVING



University of Rhode Island, Whitehall Nursing Commons featuring Medite FR
Brewster Thornton Group Architects
Warren Jagger Photography



708-343-1515
www.aetnaplywood.com

AETNA Is Stocking Homasote 440 Sound Barrier®

YESTERDAY'S NEWS IS TODAY'S COMPETITIVE EDGE.

Homasote 440 Sound Barrier® is made of 100% post-consumer waste paper, without asbestos or urea formaldehyde. So it not only stamps out noise pollution, it is safe and environmentally sound.

BREAKTHROUGH BUT VIRTUALLY UNBREAKABLE.

Homasote 440 Sound Barrier® is the lightweight, structural sound deadening material that replaces lightweight concrete at a fraction of the cost. It works with almost any flooring system and has twice the R value of wood. Unlike concrete, it can be installed quickly and easily by the same crew laying the plywood sub-floor, for faster lower-cost job completion. It's so strong, lightweight, impact-resistant and easy to work with, it's hard to believe how effective it is.

| Code | Size | Unit Size | Price/piece | Price/unit |
|------------------|--------------|-----------|-------------|------------|
| 17 14 200 | 1/2" 48 x 96 | 60 | \$21.15 | \$19.50 |

| Thickness | Sizes | Weight lbs./sq. ft. |
|--|---|---------------------|
| OTHER SIZES AVAILABLE AS SPECIAL ORDER | | |
| 1/2" | 4 x 4, 4 x 8, 4 x 12, 4 x 10, 8 x 12, 5 x 8 | 1.2 |
| 5/8" | 4 x 8, 4 x 12, 8 x 12 | 1.5 |



Sound Deadening

Deadens sound in residential or commercial buildings. Used in single or multi-family housing, professional buildings. Useful in room partitions.



Bulletin Boards

440 becomes the quick, inexpensive, tackable answer, exterior or interior for any home, office, workshop, factory, etc. Can be painted.



**Fabric Wrap
Wall Treatments**

Ideal substrate for custom textured fabric wrap panels. Provides sound deadening, insulation and tackability.

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**

Wilsonart International is...

Reinventing Laminate

WITH 21ST CENTURY TECHNOLOGY



Wilsonart Laminates with revolutionary AEON™ Enhanced Technology will offer a higher level of appearance, and also a higher level of performance.

- Less waste / damage in processing
- Greater strength and beauty
- Superior performance in everyday use
- Reduces scuffing in transit or installation
- More profit opportunity for you on every job

Aeon™ is not a new finish, but rather a new way of making HPL that results in a surface that is measurably clearer and stronger. It will provide you with **Superior Durability** and **Scratch/Scuff/Mar Resistance** which means more profit for you. Fewer callbacks and less damage during transit or installations. The benefits are very apparent with shiny surfaces and darker colors.

AEON™
E N H A N C E D P E R F O R M A N C E

D.R.I.V.E.™ *Dedication • Resource • Inventory • Value-added • Experience*

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.



You have no reason to wait any longer...

**Call us now, and
MAKE THE SWITCH TODAY!**



Wilsonart “COMMODITY-VALUE” Laminate

Wilsonart

- Frosty White
1573-60
- Designer White
D354-60
- Black
1595-60
- Wild Cherry
7054-60
- Kensington Maple
10776-60

Formica®

- White
949
- Bright White
459
- Black
909
- Wild Cherry
5904
- Amber Maple
7012

Pionite®

- Carnation
SW 806
- Angel White
SW 826
- Black
SE 101
- Oiled Cherry
WC 421
- Hard Rock Maple
WM 791

Nevamar®

- Solid White
S7004 T
- Precision White
S7036 T
- Black
S6001 T
- Auburn Cherry
WC0008 N
- Vermont Maple
WM5528 E

• **Color Alternates are Suggestions Only.**
Compare sample chips for best match option.

**CALL YOUR SALESMAN FOR MORE
COMMODITY-COLOR MATCHES**



QTY

**Vertical Grade
#335**

4 x 8' sheets
\$.64 psf
\$.67 psf
\$.70 psf

**Standard Grade
#107**

all sheet sizes qualify for this offer!
\$.73 psf
\$.77 psf
\$.81 psf

**“BASIC-VALUE”
HPL SPECIALS**



| | | |
|---------------------|-----------------|------------|
| # 3173 (1573 Match) | 400 piece crate | 26¢ p.s.f. |
| # 3195 (1595 Match) | 100-399 | 29¢ p.s.f. |
| # 3154 (D354 Match) | 50-99 | 31¢ p.s.f. |
| # 3130 (D30 Match) | 25-49 | 36¢ p.s.f. |
| # 3181 (D381 Match) | 10-24 | 43¢ p.s.f. |

Pricing good through January 30, 2009 as supplies last.

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**