



1401 St. Charles Road  
Maywood, IL 60153



# OCTOBER VALUES FROM



Pricing good through 10/31/11 or while supplies last.

Presented By 

**Features & Benefits**

- **North American Made.** CAN/AM GOLD+ panels are made at Columbia's mills in the US and Canada. You'll benefit from quick regional shipping options even at low quantity needs.
- **Formaldehyde-free.** Because all of Columbia's veneer core panels are made with soy flour-based formaldehyde-free PureBond® technology and do not contain added urea formaldehyde, they are CARB Phase 2 compliant and contribute to LEED® EQ 4.4 and other Green Building credits.
- **Improved Yield.** Less waste due to problems like warping, thickness variation, delamination and poorly patched plies. Controlled moisture content gives these panels enhanced stability.
- **Reliable Visuals.** Panels feature faces pre-sorted for uniformity. Available in Sap and Natural options.
- **Value-Priced.** CAN/AM GOLD+ panels are competitive with lesser-quality imports and thin-faced domestic commodity panels.
- **Value-Added.** Add-on custom options like pre-priming, foil or UV coating and you've still got a competitive product.
- **Trusted Service.** Backed by 50 years of Columbia's manufacturing experience and customer service.
- **Quality Standards.** CAN/AM GOLD+ panels are produced and shipped to Mill Run specifications, with a 10% shop content allowable. Any panel exhibiting delamination will be replaced or credited, at Columbia's discretion.

**CAN/AM GOLD+ Panel** Thick 1/32" Faces and Backs

Mill Run. Faces and backs include a hardwood mix of North American Basswood, Aspen, Poplar or other white woods.

FACE AND BACK VENEER OPTIONS	SUGGESTED APPLICATIONS	STANDARD PANEL THICKNESS	OTHER THICKNESSES AVAILABLE
<b>C Sap</b>	Perfect for value priced pre-finished or unfinished jobs where uniform color throughout is desired	5.2mm, 12mm, 18mm (.20"), (.47"), (.71")  3 Ply, 5 Ply, 7 Ply  (+0,-.047")	1/4", 3/8", 1/2", 3/4", 1"  Custom thicknesses available upon request  (+0,-.047")
<b>C Natural</b>	Versatile surface suited for jobs that require a smooth surface for painting, staining, pre-finishing or laminating		
<b>D Natural-Laminate</b>	Utility surface that delivers a solid, repaired laminating surface for a variety of overlays.		
<b>#3 Natural</b>	Solid, but repaired utility surface that is generally used for stabilizing back		
<b>#4 Natural</b>	Balancing back with open knot holes and splits that can be used for lowest cost needs applications		

**Typical Imported Or Low Grade Domestic Plywood (Such as D3)**

- Variable moisture content in manufacturing with the potential for warping
- Multiple inner plies with possible core voids and panel thickness variability
- More glue lines = higher formaldehyde emissions and delamination risk
- Inconsistent crossband quality = telegraphing through thin faces and backs
- Random quality of thin face veneers and risk of sand-through and finishing problems
- Subject to freight and exchange rate fluctuations, shipping delays and inventory outages

**CAN/AM GOLD+ Plywood Differences**

- Controlled moisture content in manufacturing
- Made with PureBond formaldehyde-free technology (proven in over 50 million panels)
- Thicker, domestically sourced veneer faces
- Produced in North America and available through established distribution channels
- FSC® certified plywood panels available upon request
- Many custom options available and smaller order sizes required as compared to imported orders

Consult your Columbia Forest Products representative to aid in the design of CAN/AM GOLD+ panels with the appropriate face and back combination in order to control costs and to suit your particular application.

**For your convenience, CAN/AM GOLD+ panels can be pre-primed, pre-finished with a VOC-free UV surface, and treated with foil (Canada only).**

For more information on Columbia's CAN/AM GOLD+ panels, call one of the regional numbers listed below.

MADE IN NORTH AMERICA  
AND DISTRIBUTED BY:



**Introductory  
pricing  
good through  
10/31/11**



**PLYWOOD**

# AETNA PLYWOOD INTRODUCES

## CAN AM HARDWOOD PLYWOOD FROM COLUMBIA FOREST PRODUCTS

### BASS WOOD PANELS PREFINISHED MATERIAL

CODE	ITEM	UNIT SIZE	PIECES	1 UNIT	2+ UNITS
09 08 526	6.4mm 4x8 Can/Am gold CS/4 UV15	60	\$32.60 ea.	\$31.45 ea.	\$30.40 ea.
09 14 526	12mm 4x8 Can/Am Gold CS/3 UV15	64	\$37.60	\$36.30	\$35.10
09 14 530	12mm 4x8 Can/Am Gold C5/3 UV25	64	\$43.35	\$41.85	\$40.45
09 22 526	19mm 4x8 Can/Am Gold C5/3 UV15	32	\$48.15	\$46.50	\$44.95
09 22 528	19mm 4x8 Can/Am Gold D/4 UV15	32	\$44.25	\$42.70	\$41.30
09 22 530	19mm 4x8 Can/Am Gold CS/3 UV25	32	\$53.90	\$52.05	\$50.30

### UNFINISHED MATERIAL

CODE	ITEM	UNIT SIZE	PIECES	1 UNIT	2+ UNITS
09 08 522	6.4mm 4x8 Can/Am Gold C/4 VC	60	\$26.25 ea.	\$25.35 ea.	\$24.52 ea.
09 14 522	12mm 4x8 Can/Am Gold D/3 VC	64	\$32.20	\$31.10	\$30.10
09 22 522	19mm 4x8 Can/Am Gold D/3 VC	32	\$40.00	\$38.65	\$37.40
09 22 524	19mm 4x8 Can/Am Gold D/4 VC	32	\$37.65	\$36.35	\$35.20

**Pricing good through October 31, 2011 as supplies last.**

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515  
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**

## MAKE US AN OFFER

### Inventory Blow Out Special—Material Must Sell Before Inventory

ITEM	DESCRIPTION	PCS	PRICE*
04 99 311	3/4" 5 x 20-13/16" CDX	180	\$3.00
05 08 430	1/4" 4 x 8 RC Red Oak Shop VC	40	\$25.34
05 08 442	1/4" 4 x 8 PS White Oak Shop VC	39	\$28.19
05 08 719	1/4" 4 x 10 PS Red Oak A4 Shop MDF	3	\$45.94
05 22 428	3/4" 4 x 8 PS Red Oak A2 Shop VC	1	\$33.68
05 22 506	3/4" 4 x 8 PS Red Oak B3 VC - Maple Back Shop	5	\$42.82
06 08 423	1/4" 4 x 8 Natural Birch A4 Shop VC	9	\$22.52
06 14 282	12mm 4 x 8 RC White Maple C2 VC UV 2 Sides	2	\$34.72
06 22 271	18mm 4 x 8 White Birch B2 VC UV 1 Side	4	\$31.25
06 22 282	18mm 4 x 8 RC White Maple C2 VC UV 2 Sides	5	\$40.28
06 22 525	3/4" 4 x 8 Maple D4 WPF VC - "L" Core Oversized	4	\$30.33
06 22 921	3/4" 4 x 8 White Birch B Vinyl Back PBC	18	\$36.67
09 08 234	1/4" 4 x 8 PS Cherry B4 VC UV 1 Side No Sap	11	\$36.80
09 08 236	1/4" 4 x 8 PS Mahogany B4 UV 1 Side	13	\$35.59
09 08 447	1/4" 4 x 8 PS Knotty Pine Shop VC	9	\$29.60
09 18 462	5/8" 4 x 6 PS Clear R. Alder Maple Vinyl Back PBC	47	\$41.57
09 22 236	3/4" 4 x 8 PS Khaya B1 VC - PS Khaya Back UV 2 Sides	97	\$69.27
09 22 461	3/4" 4 x 8 PS Knotty Pine B4 Shop MDF	33	\$16.84
09 22 909	19mm 4 x 8 Bamboo Zebra Vertical 3-Ply	15	\$169.97
11 12 427	3/8" 4 x 8 MDO 1S Shop	4	\$15.56
15 36 126	1-3/8" 26 x 80 HDBD Door	332	\$18.22
15 36 128	1-3/8" 28 x 80 HDBD Door	58	\$13.68
15 36 136	1-3/8" 36 x 80 HDBD Door	222	\$20.11
15 36 300	1-3/8" 3/0X6/8 HC Luan Door	40	\$21.90
17 08 300	5/16" 48 x 48 Durock	120	\$9.35
17 32 433	1-1/8" 4 x 8 Micore/MDF/Micore	40	\$3.00
29 01 828	1-1/2" x 500' White Ash Fleece	2	\$38.09
29 01 837	2" x 500' White Ash Fleece	2	\$66.12
29 02 837	2" x 500' White Pine Fleece	3	\$70.49
29 24 410	1mm 7/8" x 250' Oak Auto Edgebanding	5	\$26.84
29 24 415	1mm 7/8" x 250' Cherry Auto Edgebanding	5	\$34.80
29 28 332	1" x 250' White Birch HMG Woodroll	2	\$15.66
29 90 008	4 x 8 Qtrd Engl Sycamore 10ml Paper Back	3	\$135.61
29 90 012	4 x 8 Qtrd Bubinga 10ml Paper Back	5	\$59.15
29 90 013	4 x 8 P/S Beech Euro Steam 10ml Paper Back	9	\$38.30
51 08 420	5.2mm 4 x 8 Luan Shop VC	60	\$4.24
51 08 800	5/16" 8 x 4 White Breu Int VC	84	\$20.32
61 22 103	18mm 30 x 60 Russian Birch BB/CP Pine Lumber Core	67	\$3.00

\*All items are subject to availability—subject to prior sale

**Pricing good through October 31, 2011 as supplies last.**

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515**

**FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**

# LAMINATED PANELS

**Let Aetna laminate HPL panels  
for you!**

## Reasons to choose Aetna:

- Eliminate messy in house lay ups
- Pieces to truckloads
- Multi-ply lamination
- Press size up to 5' x 12'
- Environmentally friendly PVA glue
- J.I.T. delivery

**Aetna's deep inventory and wide selection guarantees quick turn around. Our buying power guarantees the **BEST PRICING IN TOWN!** Call for a quote today.**

***D.R.I.V.E.*** Dedication • Resource • Inventory • Value-added • Experience

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515  
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**

# OLON

*It all comes together*



## VINYL-CLAD DRAWER BLANKS

Improve Your Quality • Cut Your Costs




### The Vinyl-Clad Advantage


- Vinyl is fully wrapped 360° around the drawers into the groove
- Moisture and stain resistant
- Reduced labour costs
- Durable surface wipes clean in seconds
- Avoids time-consuming expensive finish application
- No edgebanding
- Snag-free interiors
- Crisp, professional look
- No groove routing required

### SPECIFICATIONS

Length ..... 8'  
 Thickness ..... 1/2"  
 Height ..... 3", 4", 5", 5 1/2", 6", 7", 8", 9 1/16", 10"  
 Colours ..... **White (Std.)**, Oak, Dark Maple, Black, Sycamore, Alder, White and Dark Maple Polypropylene



**In-Stock Now!**



PRODUCT CODE	PCS / BOX	DESCRIPTION	SIZE	1 BOX	2 BOXES
15 14 760	20	White Vinyl Drawer Blanks	4" x 96"	\$4.69/pc	\$4.39/pc
15 14 764	10	White Vinyl Drawer Blanks	6" x 96"	\$7.21/pc	\$6.76/pc
15 14 765	10	White Vinyl Drawer Blanks	8" x 96"	\$9.33/pc	\$8.75/pc
15 14 766	10	White Vinyl Drawer Blanks	10" x 96"	\$11.56/pc	\$10.84/pc
15 14 768	20	Dark Maple Vinyl Drawer Blanks	4" x 96"	\$5.31/pc	\$4.98/pc
15 14 769	10	Dark Maple Vinyl Drawer Blanks	6" x 96"	\$8.17/pc	\$7.66/pc
15 14 773	10	Dark Maple Vinyl Drawer Blanks	8" x 96"	\$10.57/pc	\$9.91/pc
15 14 774	10	Dark Maple Vinyl Drawer Blanks	10" x 96"	\$13.14/pc	\$12.32/pc

**Pricing good through October 31, 2011 as supplies last.**

**D.R.I.V.E.™** Dedication • Resource • Inventory • Value-added • Experience

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515**

**FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**



# FIBREX® | thin high density fiberboard

## THE VERSATILE PERFORMER THAT'S MADE TO LAST

When it comes to versatility and performance, FIBREX® thin high density fiberboard from Flakeboard offers the best of both worlds. Utilizing continuous press technology, we're able to offer one of the widest selections of quality, sizes and finishes you'll find anywhere.

Various grades available:

- FIBREX® (standard) **In Stock\***
- FIBREX® VESTA (no added urea-formaldehyde resin) **In Stock\***
- FIBREX® LF (low formaldehyde, California ARB Phase II Compliant) **In Stock\***
- FIBREX® FR\* (fire-rated door skin)
- FIBREX® PG (print finish/wet coatings grade)
- FIBREX® Plus (high density)

\* FIBREX® FR used in conjunction with a Georgia Pacific mineral core is certified for use as a cross band with wood veneer faces in 20 to 90 minute neutral pressure and positive pressure fire rated doors (single swing and pairs (standard and double egress)) and complies with UBC 7-2-1994, UBC 7-2-1997, CAN4 S104, NFPA 252, UL10B and UL10C standards.

Flakeboard FIBREX® fiberboard offers:

- A broad range of thicknesses (1.6mm to 6.35mm)
- A selection of widths (48" to 50", 59" to 62") and lengths (72" to 99.5", 101" to 148")
- Hundreds of finishes, including paint, decorative paper, TFM (thermally fused melamine) and direct print
- Specialty options such as cut-to-size and pegging

Property	Thickness <sup>1</sup>	FIBREX®, FIBREX® VESTA, and FIBREX® PG Average Values	FIBREX® LF Average Values	FIBREX®, FIBREX® VESTA, FIBREX® PG and FIBREX® LF Specifications	FIBREX® Plus and FIBREX® FR Average Values	FIBREX® Plus and FIBREX® FR Specifications
Density (lbs/ft <sup>3</sup> )**	< 0.118"	56.8	57.4	>54.3	61.8	>60.0
	0.118" to 0.154"	56.2	56.8	>53.7	61.2	>60.0
	> 0.154"	56.2	56.2	>53.0	60.5	>60.0
IB (psi)	< 0.118"	240	290	>150	290	>230
	0.118" to 0.154"	215	270	>150	270	>230
	> 0.154"	185	250	>130	265	>230
MOR (psi)	< 0.118"	6,600	7,100	>5,500	8,500	>6,800
	0.118" to 0.154"	6,500	7,000	>5,400	7,700	>6,800
	> 0.154"	6,200	6,800	>5,000	7,400	>6,800
Moisture Content <sup>1</sup> (% d.b.)	< 0.118"	5.0	5.1	4 to 9	5.1	4 to 9
	0.118" to 0.154"	5.3	5.1	4 to 9	5.1	4 to 9
	> 0.154"	5.6	5.8	4 to 9	5.8	4 to 9
Linear Expansion <sup>2</sup> (%)	All	0.25	0.25	≤ 0.30	0.25	≤ 0.30
Thickness Raw (in)	All	+/- 0.008	+/- 0.008	+/- 0.008	+/- 0.008	+/- 0.008
Thickness Sanded (in)	All	+/- 0.004	+/- 0.004	+/- 0.004	+/- 0.004	+/- 0.004
Length Tolerance (in)	All	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8
Width Tolerance (in)	All	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16
Squareness Tolerance (in)	All	+/- 5/32	+/- 5/32	+/- 5/32	+/- 5/32	+/- 5/32
Formaldehyde Emissions <sup>3</sup> (ppm)	All	0.15 <sup>4</sup>	0.09 <sup>5</sup>	FIBREX® 0.21, FIBREX® VESTA 0.21, FIBREX® PG <sup>4</sup> 0.21, FIBREX® LF <sup>5</sup> 0.13		

\*\* Metric values available. The above properties are based on averages of normal production at time of shipment. Non-specified physical properties may be available upon request. Note that thickness<sup>1</sup> are quoted in the unsanded state.

<sup>1</sup> Dry basis at 65% RH, 20° C. Tested in accordance with ASTM D 1037-99 section 6 and 121. The moisture of the panel will change with ambient conditions.

<sup>2</sup> Linear expansion measured between 50% and 80% RH in accordance with ASTM D 1037-99.

<sup>3</sup> Tested in accordance with ASTM E 1333-96 at 0.26 m<sup>2</sup>/m<sup>3</sup> (0.08 ft<sup>2</sup>/ft<sup>3</sup>) loading ratio.

<sup>4</sup> Complies with CPA EPPS 3-08, ANSI A208.2-2009, CCR 93120.2 (California ARB Composite Wood ATCM) Phase 1, IKEA MAT-IOS-0003 version AA-10899-8 Table 2.2 P1 Formaldehyde Emission Limits.

<sup>5</sup> Complies with CPA EPPS 3-08, ANSI A208.2-2009, CCR 93120.2 (California ARB Composite Wood ATCM) Phase 1 and Phase 2, IKEA MAT-IOS-0003 version AA-10899-8 Table 2.2 P1 AND P2 Formaldehyde Emission Limits.

- Look for FSC® certified products
- Product suitability for a particular application is the responsibility of the fabricator or end user
- Material Safety Data Sheets are available upon request
- All panels are approved for use in interior, non-structural applications
- Contains 100% Recycled/Recovered Wood Content

### CALIFORNIA PROPOSITION 65 REQUIREMENT

Warning: Drilling, sawing, sanding or machining wood products generates wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection.



CPA-3-08 Specification California ARB Approved Third Party Certifier TPC-1

R201-10802

FIBREX® | thin high density fiberboard

www.flakeboard.com 1.800.268.9830

## STOCK LUMBER ITEMS

Specializing in Northern & Appalachian Hardwoods

White Ash	4/4	5/4	6/4	8/4		
White Pine	4/4	5/4	6/4	8/4		
<i>Northern Knotty and Clear</i>						
Poplar	4/4	5/4	6/4	8/4	10/4	12/4
Hickory	4/4					
<i>Calico, Brown and White</i>						
Red Oak	4/4	5/4	6/4	8/4	10/4	
<i>Rift and Quarter Sawn</i>						
Hard White Maple	4/4	5/4	6/4	8/4	10/4	12/4
<i>1 &amp; 2 White, #1 common and Unselected Natural</i>						
American Walnut	4/4	5/4	6/4	8/4	10/4	
Mahogany	4/4	5/4	6/4	8/4	10/4	12/4
Khaya and Sapele						
American Cherry	4/4	5/4	6/4	8/4	10/4	
White Paper Birch	4/4					
Yellow Birch	4/4	5/4				
White Oak	4/4	5/4		8/4		
<i>Rift and Quarter Sawn</i>						
Soft White Maple	4/4	5/4	6/4	8/4	10/4	
Western Red Alder	4/4	5/4	6/4	8/4		SFI Certified
<i>Rustic Grade and Superior Clear</i>						

## Cabinet Face Frame

### Soft White Maple

25/32 x 1-3/4" S4S	-	\$ .53/LF
25/32 x 3-1/4" S4S	-	\$ .90/LF
25/32 x 3-1/2" S4S	-	\$ .93/LF
25/32 x 5-9/16" S4S	-	\$ 1.35/LF
25/32 x 7-3/16" S4S	-	\$ 1.88/LF

\* Random Lengths    \* Select & Better Grade



**Don't See Something You Need? — Call Us!**

Pricing good through October 31, 2011 as supplies last.

**D.R.I.V.E.™** Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

# WILSONART® BRAND PHENOLIC BACKERS

**Wilsonart Phenolic Backers** provide the fabricated laminate panel with balance and protection from the effects of humidity in their normal use. Typically phenolic laminate backer sheets should be about the same as the thickness specified for the decorative face laminate used in the application.

**Wilsonart Phenolic Backers** are composed of kraft paper core sheets impregnated with phenolic resins, then bonded at pressures greater than 1000 lbs. per square inch at temperatures approaching 300°F. Finished sheets are trimmed and sanded to facilitate bonding.

**Wilsonart Phenolic Backers** may be bonded with most permanent type of adhesives, including PVA and solvent or water-based contact types.

**Wilsonart Phenolic Backers** are easy-to-handle. Carbide-tipped blades and bits are recommended, utilizing high tool speed and low feed rates. They require little or no maintenance as long as they are protected from physical abuse.

## **AETNA STOCKS WILSONART #203 PHENOLIC BACKERS FOR NEXT DAY DELIVERY.**

#203 Phenolic Backer, sanded one side, .028" thick

Stock sizes include — 3', 4' and 5' widths by 8' long, and 5' x 10' sheets  
( Also available in less than 5 days are 5' x 12' and 4' x 10' sheets)

***D.R.I.V.E.™*** *Dedication • Resource • Inventory • Value-added • Experience*

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515  
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**

## WILSONART COMMODITY VALUES — ON SALE!

- **EVERYDAY LOW PRICING**
- **HUGE INVENTORY**
- **VERTICAL & STANDARD GRADE, 10 SIZES TO CHOOSE FROM**
- **NO MINIMUM ORDER**
- **NEXT DAY DELIVERY**

Wild Cherry 7054-60

Limber Maple 10734-60

Fusion Maple 7909-60

Antique White 1572-60

Frosty White 1573-60

Almond D30-60

Black 1595-60

Kensington Maple 10776-60

Designer White D354-60

Fashion Grey D381-60

Graphite Nebula 4623-60

Grey Nebula 4622-60

**Aetna's "everyday low pricing" will reduce your costs!**

Your everyday low pricing	Vertical Grade 4' x 8'	Standard Grade — all sizes
1-20 pieces	\$ .74 psf	\$ .84 psf
21-99 pieces	\$ .70 psf	\$ .80 psf
100+ pieces	\$ .67 psf	\$ .76 psf

You can even "mix and match" colors, sizes, and grades for lowest pricing

## BASIC—VALUE LINER/LAMINATE



25-49 pcs @ 36 cents psf  
 50-99 @ 33 cents  
 100-399 @ 31 cents  
 400 pc skid @ 29 cents

( White, Bright White, Black, Almond and Grey)

## WILSONART MARKER BOARD NOW YOU SEE IT — NOW YOU DON'T

- For use with dry erase markers — leaves no "ghosts" or "halos"
- GREENGUARD Certified as a low emitting product
- Easy to fabricate — no special tooling required

**NEW** color available—Black 1595-9 for use with Neon Markers!

Frost White 1573-9 Stock Program

**\$2.29 psf**



**WOW!**

Pricing good through October 31, 2011 as supplies last.

**D.R.I.V.E.** Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.