



SYSTEM SOLUTIONS FOR KITCHENS







CONTENT

CORNERSTONE MAXX	04
VS COR Wheel Pro	08
VS SUB Side	10
VS WIRO Bottom	14
VS ENVI Space XX Pro	16
VS TAL Larder	20

*A good kitchen
is a good part
of a good life.*

The kitchen is the centre of household life, in all continents on earth. Priorities differ depending on the cultural area, with design customised according to the tastes and way of life of the residents – but it's always the place where people come together. Where people not only cook and eat together, but also talk, laugh and communicate with each other. A kitchen that is perfectly tailored to the desires and needs of its users, that optimally utilises all spaces and that combines material quality, convenience, functionality and aesthetics is the ideal to which we have been committed to for more than 50 years.



CORNERSTONE MAXX I Rail maple silver I right hand version

CORNERSTONE MAXX

THE MAXXIMUM IN INNOVATION.

When you open the corner cabinet in the kitchen, you need a solution that meets you with the full contents – without obstructing the adjacent cabinets. CORNERSTONE MAXX fulfils this need. Straight-extending kinematics with energy storage support, floating design with wide, stable shelf surfaces and simple installation.

Details

- ✓ Cabinet widths: 33" (800 mm), 36" (900 mm) and 39" (1000 mm)
- ✓ Installation depth: 19-5/16" (490 mm)
- ✓ Load capacity: max. 55 lbs. (25 kg) per shelf
- ✓ EasyFit: tool-free assembly of shelf elements on the support arms
- ✓ Left and right hand version
- ✓ PAM: power assisted movement in pull-out direction
- ✓ Simple height adjustment, even when installed
- ✓ The shelves can be moved in and out independently and do not obstruct the adjacent cabinet
- ✓ Floating design due to hidden fastening
- ✓ Large-area shelves
- ✓ Storage version: Rail, maple silver
- ✓ One hardware fits all



CORNERSTONE MAXX I Rail white I right hand version

CORNERSTONE MAXX, Rail white chrome

Item No.	Size	Product name
HVS9000 7432		CORNERSTONE MAXX, Hardware set, silver
HVS9000 7514	1	CORNERSTONE MAXX C800, Rail white chrome, right
HVS9000 7515	1	CORNERSTONE MAXX C800, Rail white chrome, left
HVS9000 7516	2	CORNERSTONE MAXX C900, Rail white chrome, right
HVS9000 7517	2	CORNERSTONE MAXX C900, Rail white chrome, left
HVS9000 7442	3	CORNERSTONE MAXX C1000, Rail white chrome, right
HVS9000 7513	3	CORNERSTONE MAXX C1000, Rail white chrome, left
HVS9000 7518	4	CORNERSTONE MAXX C1200, Rail white chrome, right
HVS9000 7519	4	CORNERSTONE MAXX C1200, Rail white chrome, left
HVS9000 7928		CORNERSTONE MAXX, Blind side mounting bracket




CORNERSTONE MAXX, Rail maple silver

Item No.	Size	Product name
HVS9000 7432		CORNERSTONE MAXX, Hardware set, silver
HVS9000 7611	1	CORNERSTONE MAXX C800, Rail maple silver, left
HVS9000 7612	1	CORNERSTONE MAXX C800, Rail maple silver, right
HVS9000 7613	2	CORNERSTONE MAXX C900, Rail maple silver, left
HVS9000 7614	2	CORNERSTONE MAXX C900, Rail maple silver, right
HVS9000 7615	3	CORNERSTONE MAXX C1000, Rail maple silver, left
HVS9000 7616	3	CORNERSTONE MAXX C1000, Rail maple silver, right
HVS9000 7617	4	CORNERSTONE MAXX C1200, Rail maple silver, left
HVS9000 7618	4	CORNERSTONE MAXX C1200, Rail maple silver, right
HVS9000 7928		CORNERSTONE MAXX, Blind side mounting bracket



Frameless			Faceframe		Product dimension	
Size	A	B	C	D	E	F
1	14-1/4" (362 mm)	15-3/4" (400 mm)	-	-	29" (739 mm)	13" (328 mm)
2	16-5/8" (422 mm)	17-1/4" (438 mm)	15" (381 mm)	19" (483 mm)	33" (839 mm)	14-3/4" (373 mm)
3	18-5/8" (473 mm)	19-3/8" (492 mm)	18" (457 mm)	20" (508 mm)	37" (939 mm)	16-3/4" (423 mm)
4	22-5/8" (574 mm)	15-1/2" (394 mm)	21" (533 mm)	17" (432 mm)	37" (939 mm)	18-1/5" (462 mm)



VS COR Wheel Pro I Rail maple silver (Kidney)

VS COR Wheel Pro

EVERYTHING REVOLVES AROUND YOU.


When it comes to kitchen corners, the more accessible storage space, the better. That's why this corner cabinet solution has no central, space-consuming standpipe, which gives you up to 20 percent more storage area – ideal for bulky kitchenware. The bases are held stable in the cabinet by an angled traverse. This function can also be used for under-sink cabinets, and the hidden mechanism also supports the design of this corner cabinet solution.

Details


- Minimum height: 24-3/8" (628 mm)
- Minimum side installation depth: 490 mm
- EasyFit: tool-free installation of storage units onto the supporting arms
- Flexible base positioning irrespective of cabinet height
- Can be installed in base, tall and wall cabinets
- Can be installed into an existing kitchen
- Load capacity: max. 27.5 kg per shelf (in units measuring 600x600 mm and 650x650 mm, max. 12 kg per base)
- Unit versions: 3/4 and 4/4
- Storage versions: Rail, maple silver

Versions and cabinet dimensions

Kidney



Full round



Item No.	Size	A	B	C
Kidney				
HVS9000 4102	Ø 18-7/8" (480 mm)	23-5/8" (600 mm)	12-1/4" – 13-3/4" (310 - 350 mm)	11-5/8" (295 mm)
HVS9000 4100	Ø 26-3/4" (680 mm)	31-1/2" (800 mm)	21-1/4" – 24" (540 - 610 mm)	19-2/8" (505 mm)
HVS9000 4098	Ø 30" (760 mm)	35-1/2" (900 mm)	21-1/4" – 24" (540 - 610 mm)	19-2/8" (505 mm)
Full round				
HVS9000 4103	Ø 18-7/8" (480 mm)	23-5/8" (600 mm)	12-1/4" – 13-3/4" (310 - 350 mm)	11-5/8" (295 mm)
HVS9000 4101	Ø 26-3/4" (680 mm)	31-1/2" (800 mm)	21-1/4" – 24" (540 - 610 mm)	19-2/8" (505 mm)
HVS9000 4099	Ø 30" (760 mm)	35-1/2" (900 mm)	21-1/4" – 24" (540 - 610 mm)	19-2/8" (505 mm)

Packing: 1 set; consisting of 2 trays, 2 support arms, 2 wall brackets and mounting instructions.



VS SUB Side I Saphir chrome

VS SUB Side


A NEW LOOK FOR THE TRADITIONAL BASE UNIT SOLUTION.

The traditional system that fits into any space of base cabinets has been redeveloped in terms of design and functionality. The basic pull-out, that fits into any space, is an unsurpassable bestseller.

Details


- Cabinet openings: 6" (152 mm) and 10-1/8" (257 mm)
- Frames not related to cabinet width
- Frames can be used for all cabinet opening
- Individual height adjustment for baskets
- 3-D front adjustment allows simple, convenient front adjustment
- Non-handed
- Integrated soft-closing and self-closing
- Maximum load-bearing: 45 lbs. (20 kg)
- Storage versions: Saphir, chrome or Scalea, maple silver
- Comes with face frame spacer

Cabinet dimensions




VS SUB Side, Scalea maple silver


Product dimensions



VS SUB Side pull-out baskets




Saphir basket for min. cabinet opening width of 6" (152 mm)



Scalea basket for min. cabinet opening width of 6" (152 mm)



Saphir basket for min. cabinet opening width 10-1/8" (257 mm)



Scalea basket for min. cabinet opening width 10-1/8" (257 mm)

How to order VS SUB Side:

- 1. Select VS SUB Side frame
- 2. Add VS SUB Side basket set

VS SUB Side frame


Item No.	Product name	Number of baskets	Frame height
HVS9000 2999	VS SUB Side 1 frame	2	19-11/16" (500 mm)
HVS9000 3001	VS SUB Side 3 frame	2	25" (635 mm)
HVS9000 3259	VS SUB Side 3a frame	3	26-1/2" (667 mm)
HVS9000 3002	VS SUB Side 4 frame	3	29-3/4" (756 mm)

Packing: 1 set of frame, slide and spacer, Finish: silver
Note: Basket sets need to be ordered separately

VS SUB Side Basket set incl. door front brackets left/right or non-handed

Item No.				Cabinet opening	Basket size
Saphir 2 per box	Saphir 3 per box	Scalea 2 per box	Scalea 3 per box		
HVS9000 2571	HVS9000 2572	HVS9000 2587	HVS9000 2588	6" (152 mm)	5" (125 mm)
HVS9000 2575	HVS9000 2576	HVS9000 2591	HVS9000 2592	10-1/8" (257 mm)	9" (230 mm)

Miscellaneous



Faceframe spacer

Item No.	Description	Amount	Color
HVS9000 3018	Faceframe spacer, 2 M5 x 10 counter sunk screws	2 pieces	RAL 9006 (silver)




VS WIRO Bottom


VS WIRO Bottom

Item No.	Size	Details
HVS9000 7868	1	VS WIRO Bottom, chrome
HVS9000 7869	1	VS WIRO Bottom, silver
HVS9000 7870	2	VS WIRO Bottom, silver
HVS9000 7871	2	VS WIRO Bottom, chrome

Cabinet dimension



Product dimension





VS ENVI Space XX Pro with two-bin version (2x37 qt.)

VS ENVI Space XX Pro Face Frame




LARGE CAPACITY IN A SMALL CABINET.

The space-saving VS ENVI Space XX Pro for Face Frame, with its own rail system, self- and soft-close can be installed laterally in a very small kitchen unit, not necessarily below the sink, providing high-capacity, convenient waste disposal close to the worktop.

Details

- Cabinet widths: 15" (381 mm), 18" (457 mm), 21" (533 mm) and 24" (610 mm)
- Installation depth: min. 20-5/16" (516 mm)
- Installation height VS ENVI Space XX Pro: min. 22-7/8" (580 mm)
- Integrated 3-D front adjustment using an excenter
- Integrated soft-closing and self-closing on both versions
- Additional storage available using powder-coated lid
- Fits Face Frame cabinets, spacers included
- System capacity: 83 qt. (78,5 liters)


Cabinet dimensions



Version

Item No.	Cabinet width	Description	Capacity
HVS9000 8462	15" (381 mm)	VS ENVI Space XX Pro	1x37 qt. and 1.2 qt (1x35 and 1.2 liters)
HVS9000 8463	18" (457 mm)	VS ENVI Space XX Pro	2x37 qt. (2x35 liters)
HVS9000 8464	21" (533 mm)	VS ENVI Space XX Pro	2x37 qt. (2x35 liters)
HVS9000 8465	24" (610 mm)	VS ENVI Space XX Pro	2x37 qt. and 9 qt. (2x35 and 8.5 liters)

Product dimensions





VS ENVI Space XX Pro with three-bin version (1x22 qt. and 2x37 qt.)

VS ENVI Space XX Pro Frameless




LARGE CAPACITY IN A SMALL CABINET.

The space-saving VS ENVI Space XX Pro for imperial cabinets, with its own rail system, self- and soft-close can be installed laterally in a very small kitchen unit, not necessarily below the sink, providing high-capacity, convenient waste disposal close to the worktop.

Details

- Cabinet widths: 15" (381 mm), 18" (457 mm), 21" (533 mm) and 24" (610 mm)
- Installation depth: min. 20-5/16" (516 mm)
- Installation height VS ENVI Space XX Pro: min. 22-7/8" (580 mm)
- Integrated 3-D front adjustment using an excenter
- Integrated soft-closing and self-closing on both versions
- Additional storage available using powder-coated lid
- System capacity: 96 qt. (91 liters)


Cabinet dimensions



Version

Item No.	Cabinet width	Description	Capacity
HVS9000 8393	15" (381 mm)	VS ENVI Space XX Pro	1x37 qt. and 1.2 qt (1x35 and 1.2 liters)
HVS9000 8392	18" (457 mm)	VS ENVI Space XX Pro	2x37 qt. (2x35 liters)
HVS9000 8391	21" (533 mm)	VS ENVI Space XX Pro	2x37 qt. (2x35 liters)
HVS9000 8390	24" (610 mm)	VS ENVI Space XX Pro	2x37 qt. and 1x22 qt. (2x35 and 21 liters)

Product dimensions





VS TAL Larder I Saphir chrome

VS TAL Larder

YOUR STOCKPILE OF ACCESSIBLE STORAGE SPACE.

Every kitchen needs an elegant design. The front opens and shuts easily and silently due to the damping and self closing mechanism of the full extension runners. The frame and the front connections are designed in a high-quality, double powder-coated surface

Details

- Tool-less assembly of the frame onto the slide
- Available frame heights from 25-1/2" to 84-1/4" (650 to 2140 mm)
- Installation depth of 22-1/2" (575 mm)
- 3 way front adjustment
- Height-adjustable basket assembly
- Full-extension slides with soft-closing system
- High performance slides for a total load capacity of 265 lbs. (120 kg)
- Storage versions: Saphir, chrome or Scalea, maple silver



Saphir, chrome




Scalea, maple silver

Order parts here individually and baskets sets on next page:

- 1. Select VS TAL Larder frame
- 2. Add door adapters
- 3. Select basket set
- 4. Add PAM (optional)


VS TAL Larder pull-out frame, including top and bottom slide, silver



Item No.	Size	Inside cabinet height	Recommended number of baskets
HSV9000 8105		PAM - Power assisted movement	
HVS9000 8328	1	25-1/2" – 37-1/2" (650 mm – 950 mm)	2
HVS9000 8329	2	37-1/2" – 47-1/4" (950 mm – 1200 mm)	3
HVS9000 8330	3	47-1/4" – 57" (1200 mm – 1450 mm)	4
HVS9000 8331	4	57" – 67" (1450 mm – 1700 mm)	4
HVS9000 8332	5	67" – 76-3/4" (1700 mm – 1950 mm)	5
HVS9000 8333	6	74-3/4" – 84-1/4" (1900 mm – 2140 mm)	5



Packing: 1 set per box

VS TAL Larder door adapters



Standard door adapter (2 pcs.)	Intermediate door adapter (1 pc.)	A	B	C
HVS9000 2177	HVS9000 2183	8-1/2" (216 mm)	8" (202 mm)	6" (152 mm)
HVS9000 2178	HVS9000 2214	11-1/2" (292 mm)	11" (278 mm)	9" (228 mm)
HVS9000 2179	HVS9000 2215	14-1/2" (368 mm)	14" (354 mm)	12" (304 mm)
HVS9000 2180	HVS9000 2216	17-1/2" (444 mm)	16-7/8" (430 mm)	15" (380 mm)
HVS9000 2181	HVS9000 2217	20-1/2" (520 mm)	19-7/8" (506 mm)	18" (456 mm)
HVS9000 2182	HVS9000 2218	21-1/2" (545 mm)	20-7/8" (531 mm)	19" (481 mm)

VS TAL Larder basket set



Item No.		Min. opening cabinet width	Basket width	Numbers of baskets
Saphir chrome	Scalea maple silver			
HVS9000 2152	HVS9000 2162	8-7/8" (225 mm)	8-1/4" (210 mm)	2
HVS9000 2153	HVS9000 2163	8-7/8" (225 mm)	8-1/4" (210 mm)	3
HVS9000 2154	HVS9000 2164	11-5/8" (295 mm)	11" (280 mm)	2
HVS9000 2155	HVS9000 2165	11-5/8" (295 mm)	11" (280 mm)	3
HVS9000 2156	HVS9000 2166	14-3/8" (365 mm)	13-3/4" (350 mm)	2
HVS9000 2157	HVS9000 2167	14-3/8" (365 mm)	13-3/4" (350 mm)	3
HVS9000 2158	HVS9000 2168	17-1/8" (435 mm)	16-1/2" (420 mm)	2
HVS9000 2159	HVS9000 2169	17-1/8" (435 mm)	16-1/2" (420 mm)	3
HVS9000 2160	HVS9000 2170	19-7/8" (505 mm)	19-1/4" (490 mm)	2
HVS9000 2161	HVS9000 2171	19-7/8" (505 mm)	19-1/4" (490 mm)	3

Production areas in USA



Location High Point, NC: US headquarter and distribution production area 32.291 sqft (3.000 m²)



Location Greensboro, NC: injection moulding production area 180.000 sqft (17.000 m²)

Production areas in Germany



Location Brakel-Erkeln: headquarter and wire processing production area 236.806 sqft (22.000 m²)



Location Paderborn: injection moulding production area 355.209 sqft (33.000 m²)



Location Beverungen: wood- working processing production area 226.042 sqft (21.000 m²)



Location Korbach: sheet metal processing production area 290.625 sqft (27.000 m²)

DEPENDABLE QUALITY

We are strongly committed to our customers' expectations. By producing and assembling all product components ourselves, we guarantee best quality »Made in Germany and USA«.

Vauth-Sagel has been developing and finishing its products at its manufacturing base in Germany for more than 50 years and also in the US since 2011. Thanks to our expertise and attention to detail, we are able to create top-quality, innovative products, and have thus become an important partner in the national and international furniture industry.

Across all the important markets worldwide, we present not just the highest product quality and outstanding engineering, but also reliable delivery and comprehensive services. This brand term is an important selling point for us in the global marketplace. So important, that in future it will be brought more sharply into focus in our communications.

The German guarantee of quality forms the basis of the Vauth-Sagel quality label, which in future will not only verify the product's authenticity and quality but will also have the potential to highlight its outstanding properties.

- ✓ EasyFit user-friendly assembly
- ✓ FSC® certification for timber used
- ✓ DIN ISO 14001
International environmental management standard
- ✓ LGA-tested
German product safety guarantee
- ✓ DIN EN 15338
Hardware for furniture - Strength and durability of extension elements and their components
- ✓ DIN EN 14749
Furniture - Domestic and kitchen storage units and kitchen worktops - Safety requirements and test methods
- ✓ ANSI/BHMA A156.9-2003
According to ANSI/BHMA A156.9-2003 all our corner round shelves are certificated. This Standard contains requirements for cabinet hardware. Included are performance tests covering operational, cyclical, strength, and finish criteria.

In order to satisfy these demands, we shall be developing and manufacturing our products in Germany and US today and in the future. »Think global, act local«, a company principle with promise.

Data and facts

830 employees in total, of 76 apprentices in 16 apprenticeship area

Production areas: 110,000 m²

Types of product: over 8,500

Products manufactured annually: more than 20 million

Products manufactured daily: approx. 90,00

Export quota: 55 %



Heinz Otto

Claus

Thomas

Martin

Peter

CONTACT



Vauth-Sagel USA LP
1821 Baker Road
High Point, NC 27263
USA

Phone: +1 336 861 0740
Toll free: +1 855 770 9121
Fax: +1 336 861 0741

Email: support@vauth-sagel-usa.com
Internet: www.vauth-sagel-usa.com



Aetna Plywood, Inc.
1931 Eleventh Street
Rockford, IL 61104
USA

Phone: (815) 968-0921
Fax: (815) 968-4720

Internet: www.aetnaplywood.com

Imprint

All parts of this brochure are property of Vauth-Sagel. Reproduction of the brochure or parts thereof in any form is prohibited without our approval.

We reserve all rights under copyright law. Any liability for typographical mistakes or errors is excluded. The dimensions are non-binding. We reserve the right to make design and technical changes.

FSC® (FSC-C116128)

We purchase and use primarily FSC® mix "from responsible sources." The purchase, storage, processing and sale of FSC® products are monitored by an FSC®-accredited certifier. Our certification runs under the so-called COC (chain of custody), the so-called product chain. The product chain certification system guarantees to the consumer that the wood product with the FSC® seal actually originates from a certified and responsibly managed forestry operation.

Publisher

Vauth-Sagel | Neue Straße 27 | 33034 Brakel-Erkeln | Telephone: +49 (0) 5272 601-01
Email: vs@vauth-sagel.com | www.vauth-sagel.com

Version: April 2019 | © by Vauth-Sagel | All Rights Reserved.



Vauth-Sagel YouTube channel
with the latest
product information